DEPARTMENT OF HEALTH & HUMAN SERVICES

Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

JUN 1 2 2000

Kanti Daya, M.D.
Beacon Biologicals, Inc.
6004 Glendale Drive
Boca Raton, Florida 33433

Re: K000687
Trade Name: The Daya Syphilis Test/ The Trust Antigen Test
Regulatory Class: II
Product Code: GMQ
Dated: May 9, 2000
Received: May 22, 2000

Dear Dr. Daya:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4588. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "http://www.fda.gov/cdrh/dsma/dsmamain.html".

Sincerely yours,

Steven Gutman

Steven I. Gutman, M.D., M.B.A.
Director
Division of Clinical Laboratory Devices
Office of Device Evaluation
Center for Devices and Radiological Health

Enclosure

510{K} Number (if known) : K000687

Device Name : THE TRUST ANTIGEN TEST / The Toluidine Red Unheated Serum Test

---

Indications For Use :

The TRUST Antigen Test / Toluidine Red Unheated Serum Test is a microscopic, rapid nontreponemal card testing procedure for the serological detection of syphilis. The TRUST Antigen is a modified VDRL Antigen containing red pigment particles which visibly agglutinate when mixed with serum or plasma containing antilipoidal antibody formerly called reagin, present in serum or plasma of syphilitic individuals.

"The TRUST Test is an aid in the diagnosis of syphilis. Clinicians combine TRUST results with the results of a treponemal test , direct microscopic examinations, clinical signs and symptoms, and risk factors in arriving at a diagnosis of syphilis.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Woody Dubois

(Division Sign-Off)
Division of Clinical Laboratory Devices
510(k) Number K000687

Prescription Use __X____ OR Over-The-Counter-Use _____
(per 21 CFR 801.109)

(Optional Format 1-2-96)